LUGGAGE EYEBROW WASHING II

EYEBROW WASH / TATTOO REMOVAL /
SKIN REJUVENATION & WHITENING / PIGMENT REMOVAL



Catalogue

Product introduction

Working principle ··· ··· ··· ··· ··· ··· ··· ··· ··· ··· ··· 01

Product specifications ··· ··· ··· ··· ··· ··· ··· ··· 01

Structure introduction ··· ··· ··· ··· ··· ··· ··· ··· ··· 02

Instructions for use

Interface instructions ··· ··· ··· ··· ··· ··· ··· ··· 03

Parameter setting ··· ··· ··· ··· ··· ··· ··· ··· ··· ··· 04

Warning ··· ··· ··· ··· ··· ··· ··· ··· ··· ··· ··· 04

Precautions ··· ··· ··· ··· ··· ··· ··· ··· ··· ··· ··· 05

Configuration list ··· ··· ··· ··· ··· ··· ··· ··· ··· ··· ··· ··· 05

Product introduction

Working principle

Through the super-pulse time of milliseconds and microseconds, the laser can instantly penetrate the epidermis of the skin to the deep layer of the skin, so that the pigment particles inside the skin are instantly crushed, and the crushed pigment particles will be swallowed by human macrophages and slowly carried away. Because the laser of a specific wavelength can reach the diseased pigment tissue through the epidermis and dermis, and only plays a role on the pigment particles, the epidermis of the skin has little or no damage, and there is no obvious damage to the texture of the skin, so there is no scar on the skin. Different wavelengths of laser can selectively absorb black, blue, green, brown, red, brown, yellow and other pigments in the skin, also known as the "light explosion effect".

Product specifications

Eyebrow washer parameters	
Laser power supply	220V/110V
Wave length	1064nm/532nm
Energy	50-2000J/M
Laser output frequency	1-10HZ
Language	Six kinds of（Can customize）

Product introduction

Structure introduction



Product front

(Please refer to the actual picture)

1 Retractable pull rod
2 Energy conduit
3 Super clear LCD screen
5 Foot joint
5 Power handle
6 Power interface
7 Power switch
8 Intake hole
9 Vent hole
10 Dewatering hole

Instructions for use

Interface instructions



(1-1)

Turn on the instrument and select the wavelength corresponding to the treatment



(1-2)

Enter the (1-2) interface, the energy is adjusted from 300, the frequency is adjusted from 3, and the energy is adjusted according to the actual feeling of the customer. Click Start to proceed

Instructions for use

Parameter setting

Laser head	Scope statement
1064nm	Suitable for removing colors such as black and blue, pigmentation and freckles
532nm	Suitable for removing red, brown, green and other colors, effectively desalting all kinds of shallow spots
785nm	Mainly used for facial whitening and shrinking pores, oil control and other work
Noninvasive 1064nm	Non-invasive treatment, will not cause skin damage
Noninvasive 532nm	Non-invasive treatment, will not cause skin damage

Warning

1, pregnant women, high blood pressure, heart disease, diabetes

2. Women who are menstruating.

3. Patients with skin inflammatory lesions at the surgical site.

4, plastic surgery purpose is not clear people.

5. Areas with open wounds.

6. People who can't avoid bright light in the near future.

Instructions for use

Precautions

1, do not use whitening stimulation efficacy products;

2, within seven days can not use hot water to wash your face, can not use sauna;

3, seven days can not eat stimulating hair and pigmented food such as chocolate coffee,Non-smoking alcohol;

4, pay attention to sun protection;

5, if there is scab shall not be grabbed by hand;

6, ten days later do hydration care;

7, the instrument is strictly prohibited to operate at the glasses.

Configuration list

Toolkit	1
Pedal	1
Safety goggles	1
Protective spectacles	1
Funnel	1
Drain-pipe	3
Probe	5